

IT-EN

ZERO+



EGRO ZERO+

SWISS COFFEE TECHNOLOGY

Egro ZERO PLUS essenziale e versatile

Egro ZERO PLUS integra ergonomia e semplicità d'uso, senza rinunciare alla professionalità delle bevande erogate. E' stata appositamente progettata per soddisfare le svariate esigenze di location caratterizzate da consumi giornalieri medio-bassi come panetterie, uffici e luoghi ristoro a libero servizio.

Elevata qualità in tazza

ZERO PLUS consente di scegliere fino a 17 differenti prodotti, garantendo a ogni erogazione un servizio dagli altissimi standard qualitativi grazie a:

- Gruppo erogatore da 18 grammi in acciaio inossidabile;
- La precisione nei dosaggi consente di offrire sempre la stessa quantità di bevanda in tazza per ogni tipo di erogazione;
- Macinatura ad impulsi e macine in acciaio inossidabile;
- La nuova pompa volumetrica di Egro ZERO PLUS garantisce una preparazione rapida per tutte le bevande caffè Extra Large e lavora in modo indipendente dalla pressione dell'acqua di rete;
- Dura Brew sistema brevettato di chiusura ermetica che richiede minori interventi di manutenzione e riduce i costi complessivi di utilizzo della macchina.

Sistema latte pratico ed efficiente

Il beccuccio, dotato di un'escursione tra i range più ampi del mercato, è in grado di svolgere tutte le funzioni di erogazione con massimo rendimento. Inoltre, ZERO PLUS è particolarmente idonea alla preparazione di bevande a base di latte in bicchieri fino a 18 cm di altezza. Nella versione Quick-Milk, la superautomatica può essere equipaggiata con una vera e propria unità refrigerante Quick-Milk Fridge dalla capacità di 4 litri oppure con Cool Box 6.5 dalla capienza di oltre 6 litri.

Fridge under machine

Quando l'area di lavoro risulta limitata, l'operatore ha la necessità di ottimizzare lo spazio al fine di operare con grande facilità. Egro LAB ha progettato un Frigorifero da 4 litri da posizionare sotto la macchina.

Tramogge polveri

Cioccolate al latte, fondenti, bianche, speziate, caramellate possono essere preparate grazie all'opzione polveri totalmente incorporata.

Manutenzione semplice e veloce

ZERO PLUS è dotata di un'interfaccia utente intuitiva. L'area di lavoro illuminata da luci a LED garantisce grande comfort visivo. La comoda apertura del pannello frontale e il rapido accesso alle principali componenti interne agevolano le operazioni di manutenzione e consentono una migliore affidabilità operativa.

Lavaggio

- ZERO PLUS dispone di un programma di lavaggio automatico che guida l'utente nel ciclo di pulizia giornaliero;
- Becco facilmente scomponibile, rimuovibile e lavabile.



Egro ZERO PLUS versatility and essentiality

Egro ZERO PLUS combines ergonomics and ease of use with professional-quality espresso-based products. Egro ZERO PLUS is especially designed for locations with medium-low daily consumption, as bakery, offices or Self-Service corners.

Top quality in the cup

Egro ZERO PLUS allows up to 17 different beverages to be programmed, and ensures that every cup is of the highest quality thanks to:

- Brewing group in stainless steel with 18 grams brew chamber capacity;
- The precise dosage delivers the same quantity of drink in the cup, regardless of the type of brew;
- Grind pulses sensor and stainless steel grinders;
- The new Egro ZERO PLUS volumetric pump enables all extra-large coffee drinks to be prepared quickly and it is not dependent on mains water pressure;
- Dura Brew, a patented hermetic closing system, which requires less maintenance and reduces the overall operating costs of the machine.

Ergonomic and practical milk system

The dispensing spout, with one of the largest movement ranges on the market, performs all dispensing functions with high-performing efficiency. Egro ZERO PLUS is suitable for the preparation of milk-based beverages in glasses up to 18 cm high.

Egro ZERO PLUS Quick-Milk can be equipped with a real refrigerating unit, Quick-Milk Fridge (4 Liters storage capacity) or with the Cool Box 6.5 to store the milk with a capacity of more than 6 Liters.

Fridge under machine

The Fridge Under Machine is the right solution for locations with limited working area. The capacity of the milk container in the fridge is 4 litres.

In-built powder hoppers

With this option, Egro ZERO PLUS allows you to quickly prepare all kinds of chocolate beverages: hot milk chocolate, fondant chocolate, white, spiced and caramel chocolate.

Easy of use and maintenance

Egro ZERO PLUS is equipped with an intuitive user interface. The working area illuminated by LED lights ensures greater comfort and ease of use. The easy opening of the front panel and the rapid access to the main internal components facilitate maintenance operations and ensure greater reliability.

Cleaning

- Egro ZERO PLUS has a completely automatic cleaning program that helps the user in the daily maintenance;
- Dispensing spout easily removable, and washable for a perfect hygiene.



ZERO+ PURE-COFFEE



DATI TECNICI / TECHNICAL INFO

ZERO PLUS PURE COFFEE

Dimensioni (LxPxAx) - Dimensions (WxDxH)	330x600x778 mm / 12.9x23.6x30.6 in
Voltaggio - Voltage	1N ~100-120V / 1N ~220-240V
Potenza(Kw) - Power (Kw)	1.8 kW - 2.2 kW / 3.6 kW
Peso - Weight	45Kg / 99.2 lb

CARATTERISTICHE TECNICHE

VERSIONI
 • Attacco diretto alla rete idrica
 • Versione Tank

PANNELLO OPERATIVO
 • Keypad, 17+1 pulsanti

ACQUA CALDA
 • Uscita acqua calda esterna - lato destro
 • Uscita acqua calda centrale - in uscita caffè

OPZIONI CAFFÈ
 Secondo macinino, Bypass tazza singola, Dispositivo di espulsione fondi caffè

OPZIONI VAPORE
 Lancia Vapore

OPZIONI TRAMOGGE POLVERI
 1 o 2 tramogge polveri

ACCESSORI
 Scaldatasse, Sistemi di pagamento

VARIE
 Opzione Self (kit serrature, acqua calda centrale e posizionale tazza), Kit serrature

TECHNICAL FEATURES

VERSIONS
 • Plumbed version
 • Tank version

OPERATING PANEL
 • Keypad, 17+1 buttons

HOT-WATER
 • External Hot Water outlet - right side
 • Central Hot Water outlet - in coffee outlet

COFFEE OPTIONS
 Second grinder, Bypass Single Cup, Ejection device for waste coffee drawer

STEAM OPTIONS
 Steam wand

POWDER OPTIONS
 1 or 2 powder hoppers

ACCESSORIES
 Cup Warmer, Payment systems

MISCELLANEOUS
 Option Self (lock package, central hot water and cup stopper pins), Lock Package

ZERO+ QUICK-MILK



DATI TECNICI / TECHNICAL INFO

ZERO PLUS QUICK-MILK

Dimensioni (LxPxAx) - Dimensions (WxDxH)	330x600x778 mm / 12.9x23.6x30.6 in
Voltaggio - Voltage	1N ~100-120V / 1N ~220-240V
Potenza(Kw) - Power (Kw)	1.8 kW - 2.2 kW / 3.6 kW
Peso - Weight	45Kg / 99.2 lb

CARATTERISTICHE TECNICHE

VERSIONI
 • Attacco diretto alla rete idrica
 • Versione Tank

PANNELLO OPERATIVO
 • Keypad, 17+1 pulsanti

ACQUA CALDA
 • Uscita acqua calda esterna - lato destro
 • Uscita acqua calda centrale - in uscita caffè

OPZIONI CAFFÈ
 Secondo macinino, Bypass tazza singola, Dispositivo di espulsione fondi caffè

OPZIONI VAPORE
 Lancia Vapore

OPZIONI TRAMOGGE POLVERI
 1 o 2 tramogge polveri

OPZIONI SISTEMA LATTE
 Cool Box 6.5, Quick-Milk Fridge, FUM Fridge under machine

ACCESSORI
 Scaldatasse, Sistemi di pagamento

VARIE
 Opzione Self (kit serrature, acqua calda centrale e posizionale tazza), Kit serrature

TECHNICAL FEATURES

VERSIONS
 • Plumbed version
 • Tank version

OPERATING PANEL
 • Keypad, 17+1 buttons

HOT-WATER
 • External Hot Water outlet - right side
 • Central Hot Water outlet - in coffee outlet

COFFEE OPTIONS
 Second grinder, Bypass Single Cup, Ejection device for waste coffee drawer

STEAM OPTIONS
 Steam wand

POWDER OPTIONS
 1 or 2 powder hoppers

MILK SYSTEM OPTIONS
 Cool Box 6.5, Quick-Milk Fridge, FUM Fridge under machine

ACCESSORIES
 Cup Warmer, Payment systems

MISCELLANEOUS
 Option Self (lock package, central hot water and cup stopper pins), Lock Package

DATI TECNICI / TECHNICAL INFO

SCALDATAZZE / CUP WARMER

Dimensioni (LxPxAx) - Dimensions (WxDxH)	300x455x580 mm / 11.8x17.9x22.8 in
Voltaggio - Voltage	1N ~230V 50/60Hz
Potenza(Kw) - Power (Kw)	0.42 kW
Peso - Weight	14 kg / 30.1 lb

FRIDGE UNDER MACHINE (FUM)

Dimensioni (LxPxAx) - Dimensions (WxDxH)	315x600x203 mm / 12.4x23.6x8.0 in
Voltaggio - Voltage	1N ~220V-230V 50/60Hz / 1N ~115V 60Hz
Potenza(Kw) - Power (Kw)	0.08 kW kW
Peso - Weight	18.5 kg / 40.0 lb
Capacità - Capacity	4 l

QUICK-MILK FRIDGE

Dimensioni (LxPxAx) - Dimensions (WxDxH)	230x460x340 mm / 9.0x18.1x13.4 in
Voltaggio - Voltage	1N ~230V 50/60Hz / 1N ~120V 60Hz
Potenza(Kw) - Power (Kw)	0.10 kW
Peso - Weight	14 kg / 30.1 lb
Capacità - Capacity	4 l

COOL BOX 6.5

Dimensioni (LxPxAx) - Dimensions (WxDxH)	284x361x440 mm / 11.8x14.2x17.3 in
Voltaggio - Voltage	1N ~230V 50/60Hz
Potenza(Kw) - Power (Kw)	0.10 kW
Peso - Weight	7 kg / 15.7 lb
Capacità - Capacity	6.5 l



Bicchieri fino a 18 cm di altezza / Glasses up to 7.1 inch high



Tramogge polveri / Powder Hoppers



Quick-Milk Fridge, Cool Box 6.5

CONTATTI / CONTACTS

HEADQUARTERS, PRODUCTION PLANT AND R&D CENTERS

Rancilio Group S.p.A. con socio unico

Viale della Repubblica 40
20015 Villastanza di Parabiago (MI) - Italy
Ph. +39 0331 408200
Fax +39 0331 551437
info@ranciliogroup.com

Egro Suisse AG

Bahnhofstrasse 66
5605 Dottikon - Switzerland
Ph. +41 (0)56 616 95 95
Fax +41 (0)56 616 95 97
info-ch@ranciliogroup.com

WORLDWIDE BRANCH LOCATIONS

Spain

Rancilio Group España, S.A.
Gran Vía de Carlos III, 84 3ª-Edificio Trade
08028 Barcelona - Spain
Ph. +34 902 884 275
Ph. +34 934 923 414
Fax +34 934 965 701
info-es@ranciliogroup.com

Portugal

Rancilio Group Portugal Lda
Rua José Vicente Gonçalves n°14-Armaz.-2
Parque Industrial do Seixal
2840-048 Aldeia de Paio Pires-Seixal
Lisboa - Portugal
Ph. +351 21 493 52 58

Rua Nova Urbanização do Cavaco 76
4470-264 Maia - Porto - Portugal
Ph. + 351 22 010 14 19
Fax + 351 22 010 14 20
info-pt@ranciliogroup.com

Germany

Rancilio Group Deutschland GmbH
Isenburg - Park
Schleussnerstr. 90
63263 Frankfurt - Germany
Ph. +49 (0)6102 799030
info-de@ranciliogroup.com

Switzerland

Egro Suisse AG
Bahnhofstrasse 66
5605 Dottikon - Switzerland
Ph. +41 (0)56 616 95 95
Fax +41 (0)56 616 95 97
www.egrosuisse.ch

USA/Canada

Rancilio Group North America Inc.
1340 Internationale Parkway / Suite 200
Woodridge, IL 60517 - U.S.A.
Ph. +1 630 914 7900
Fax +1 630 914 7901
Toll Free: +1 877 726 2454
www.ranciliogroupna.com

www.ranciliogroup.com



[facebook.com/RancilioGroup](https://www.facebook.com/RancilioGroup)



[Rancilio Group Channel](https://www.youtube.com/RancilioGroup)



[instagram.com/ranciliogroup/](https://www.instagram.com/ranciliogroup/)



twitter.com/RancilioGroup



[linkedin.com/company/rancilio-group-spa](https://www.linkedin.com/company/rancilio-group-spa)

 RANCILIO GROUP

an Ali Group Company



The Spirit of Excellence